



Docket No.: 220631US0PCT

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

OBLON
SPIVAK
McCLELLAND
MAIER
&
NEUSTADT
P.C.

ATTORNEYS AT LAW

RE: Patent No.: 6,743,925 ⁶¹
Issued: June 1, 2004
Application Serial No.: 10/070,899
Patentees: Yoshihiro TAKAI et al.
Filing Date: August 7, 2002
For: NITROIMIDAZOLE DERIVATIVE AND
DIAGNOSTIC IMAGING AGENT CONTAINING
THE SAME

Certificate

JUL 07 2004

of Correction

SIR:

Attached hereto for filing are the following papers:

Request for Certificate of Correction;

Certificate of Correction Form PTO-1050 (In Duplicate)

Our check in the amount of _____ is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Norman F. Oblon

Harris A. Pitlick

Registration No. 38,779

Customer Number

22850

(703) 413-3000 (phone)

(703) 413-2220 (fax)

JUL 08 2004

DOCKET NO: 220631US0PCT



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF

YOSHIHIRO TAKAI, ET AL.

PATENT NUMBER: 6,743,925 B1

ISSUED: JUNE 1, 2004

FOR: NITROIMIDAZOLE DERIVATIVE AND DIAGNOSTIC
IMAGING AGENT CONTAINING THE SAME

REQUEST FOR CERTIFICATE OF CORRECTION

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

The following is a request for a certificate of correction in Serial Number 10/070,899,
now Patent Number 6,743,925.

In accordance with 37 C.F.R. § 1.322, which implements 35 USC §254, the Patent
Office is respectfully requested to issue a certificate of correction in the above-identified
patent.

All of the errors are the fault of the Patent Office. Accordingly, no fee is required.

The requested corrections are shown on the attached Form PTO-1050.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.
Norman B. Oblon

Harris A. Pitlick
Registration No. 38,779

Customer Number
22850

Tel: (703) 413-3000
Fax: (703) 413 -2220
(OSMMN 08/03)
NFO/HAP/cja

JUL 08 2004

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,743,925 B1
DATED: June 1, 2004
INVENTOR(S): Yoshihiro TAKAI, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, line 40, "which is 1-[2-fluoro(¹⁸F or ¹⁹F)hydroxymethyl]ethoxy)methyl-2-nitroimidazole" should read --1-[2-fluoro(¹⁸F or ¹⁹F)-1-hydroxymethyl]ethoxy)methyl-2-nitroimidazole--.

Mailing address of sender:

Customer Number
22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)

Patent No. 6,743,925 B1

No. of add'l copies
@ .30 per page



1 of 1

JUL 08 2004